جم	FEB	1 0 200	4848 B	
	(A)		*2/	
FORM P	O-1449	AUG	J.S. DEP	7

Sheet	<u>1</u>	of	<u>3</u>

AUG	ับ.ร.	DEP	ART	MENT	OF	CON	IMERCE
	PAT	ENT	AND	TRAD)EM	ARK	OFFICE

PRD2203USPCT

SERIAL NO. 10/594,832

INFORMATION DISCLOSURE CITATION BY APPLICANT

(Use several sheets if necessary)

APPLICANT Liu et al.

FILING DATE
July 16, 2007

GROUP ART UNIT

uly 16, 2007 | 1654

U.S. PATENT DOCUMENTS

			· · · · · · · · · · · · · · · · · · ·						
EXAMINER INITIAL		DOCUMENT NUMBER	PUBLICATION DATE	INVENTORS	CLASS	SUB	CLASS	IF	FILING DATE APPROPRIATE
FOREIGN PATENT DOCUMENTS									
		DOCUMENT NUMBER	DATE	COUNTRY/REGION	CL	CLASS SUBCL		ASS TRANSLATION (if applicable)	
	A Committee of the Comm								
	ОТ	HER DOCUMENT	S (Including Au	hor, Title, Date,	Pertir	nent	Pp., E	tc.)
			prokinetic approach						
		Dis., 1998, 16:38	3-46.						
		Arad et al., "The	fetal inflammatory re	esponse syndrome	and a	ssoc	iated in	fan	t morbidity",
		IMAJ, 2004, 6:76							
			opathic constipation:	too few stools and	d too lit	tle k	nowledg	је",	Trends
		Pharmacol. Sci.,					· .		·
			tructural determinan prokinectin receptor						
			oupling of the alpha						
ļ			for estimating recep			ficie	ncy in a	tra	nsient
			em", <i>J Biol Chem</i> ., 1					-,	
			okineticin 2 transmit			n rh	ythm of	the	€
		suprachiasmatic nucleus", <i>Nature</i> , 2002, 417:405-410. Conklin et al., "Substitution of three amino acids switches receptor specificity of Gq alpha							
ļ	. '		a", <i>Natur</i> e, 1993, 36		es rece	eptor	specific	city	of Gq alpha
			Role of biological ag		ediated	infl	ammato	ry	diseases",
		South Med J., 20	005, 98(2):192-204.						
	Ferrara et al., "Differential expression of the angiogenic factor genes vascular endothelial								
j	growth factor (VEGF) and endocrine gland-derived VEGF in normal and polycystic hu				cystic human				
	ovaries", <i>Am. J. Pathol.</i> , 2003,162(6):1881-1893.								
	Hachem et al., "Bronchiolitis obliterans syndrome: pathogenesis and management", Se					ement", <i>Semin</i>			
	Thorac Cardiovasc Surg., 2004, 16(4):350-355. Hickey et al., "Clinical implications of disturbances of uterine vascular morphology and								
							uar mor	pn	ology and
			res Clin Obstet Gyna Presence and regula				lar ando	the	lial growth
			n-1 and its receptors						
		88(8):3700-3707		o in ovarian ocilo ,	0 0 1		ormor iv	,01	<i>1D.</i> , 2000,
			· 'Identification of an a	angiogenic mitoger	n selec	ive 1	for endo	cri	ne gland
į			ature, 2001, 412:877			- '			3
	LeCouter et al., "Endocrine gland-derived VEGF and the emerging hypothesis of organ-					s of organ-			
		specific regulation	on of angiogenesis",		(9):913	<u>-917</u>	· · · ·		
EXAMINER			DATE C	ONSIDERED					

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

			Sheet <u>2</u> of <u>3</u>				
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. PRD2203USPCT	SERIAL NO. 10/594,832				
		APPLICANT Liu et al.					
	everal sheets if necessary)	FILING DATE July 16, 2007	GROUP ART UNIT				
01	THER DOCUMENTS (Includi	ng Author, Title, Dat	e, Pertinent Pp., Etc.)				
	glands", Cold Spring Harb Sy	mp Quant Biol., 2002, 6					
	LeCouter et al., "The endocrine-gland-derived VEGF homologue Bv8 promotes angiogenesis in the testis: Localization of Bv8 receptors to endothelial cells", <i>Proc Natl Acad Sci USA</i> , 2003, 100(5):2685-2690.						
	distinct expression pattern fro of organ-specific angiogenes	om its human ortholog s is", <i>Endocrinology</i> , 2000	cular endothelial growth factor: a uggests different roles as a regulator 3, 144(6):2606-2616. combinant proteins potently contract				
	gastrointestinal smooth musc	ele", Mol Pharmacol, 200	01, 59(4):692-698.				
	Lin et al., "Identification and molecular characterization of two closely related G protei coupled receptors activated by prokineticins/endocrine gland vascular endothelial grofactor", <i>J Biol Chem.</i> , 2002, 277(22):19276-19280. Lin et al., "Characterization of endocrine gland-derived vascular endothelial growth fa signaling in adrenal cortex capillary endothelial cells", <i>J Biol Chem.</i> , 2002, 277(10):87 8729.						
	Liu et al., "Cloning and pharmacological characterization of a fourth histamine receptor (H4) expressed in bone marrow", <i>Mol Pharmacol.</i> , 2001, 59(3):420-426.						
	Liu et al., "Comparison of human, mouse, rat and guinea pig histamine H4 receptors reveals substantial pharmacological species variation", <i>J Pharmacol Exp Ther.</i> , 2001 299(1):121-130.						
			ns in gonadotropin-releasing hormone em., 2002, 277(35):32099-32108.				
			GF/prokineticins as cognate ligands for Biophys Res Commun., 2002, 293:				
	Medford et al., "Vascular endothelial growth factor gene polymorphism and acute respiratory distress syndrome", <i>Thorax</i> , 2005, 60:244-248						
Mollay et al. "Bv8, a small protein from frog skin and its homologue from snake ver induce hyperalgesia in rats", <i>Eur J Pharmacol.</i> , 1999, 374:189-196.							
	Nakayama, "Furin: a mammalian subtilisin/kex2p-like endoprotease involved in processing of a wide variety of precursor proteins", <i>Biochem J.</i> , 1997, 327:625-635. Negri et al., "Nociceptive sensitization by the secretory protein Bv8," <i>Br J Pharmacol.</i> , 2002, 137(8):1147-1154.						
	Samsom et al., "Abnormal ga Dig Dis., 1997, 15:263-274.	stric and small intestina	I motor function in diabetes mellitus",				
EXAMINER		DATE CONSIDERED					
			onformance with MPEP 609; Draw line of this form with next communication to				

applicant.

			Sneet 3 01 3
FORM PTO-1449		PRD2203USPCT	SERIAL NO. 10/594,832
	ATION DISCLOSURE ON BY APPLICANT	APPLICANT Liu et al.	
(Use se	everal sheets if necessary)	FILING DATE July 16, 2007	GROUP ART UNIT 1654
01	HER DOCUMENTS (Includi	ng Author, Title, Date	e, Pertinent Pp., Etc.)
	the black mamba (Dendroasy Schweitz et al., "MIT(1), a bla intestinal contraction", FEBS Soga et al., "Molecular clonin Biophys. Acta., 2002, 1579:1 Steiner et al., "The new enzy Chem., 1992, 267(33):23435 Tonini, "Recent advances in Res., 1996, 33(4-5):217-226. Wechselberger et al., "The mage spermatocytes", FEBS Lett., Weissgerber et al., "The role Sci. Sports Exerc., 2004, 2022 Yanagita et al., "Processing of insulin reflects the expression 133(2): 639-644.	bis polylepis) venom", Touck mamba toxin with a rack mamba toxin process. In part of the pharmacology of gas toxin mamba toxin process. In part of the pharmacology of gas toxin process. In part of the pharmacology	new and highly potent activity on 3. If prokineticin receptors," <i>Biochim.</i> It cessing endoproteases", <i>J Biol</i> It citrointestinal prokinetics", <i>Pharmacol</i> In frog Bv8 are mainly expressed in Ity in preeclampsia prevention", <i>Med.</i> In tetrabasic cleavage sites to mature a cell lines", <i>Endocrinology</i> , 1993,
	Zhang et al., "Expression of e ovarian carcinoma", Clin Can		vascular endothelial growth factor in 72.
EXAMINER		DATE CONSIDERED	
			nformance with MPEP 609; Draw line f this form with next communication to

applicant.